



## Design Standards Revisions Log

Date: 2/9/2015

Item	By	Date	Title	Page	Section	Key Changes	Notes
1	SCCD Facilities Dept.	8/20/2014	Lighting	196	26 50 00	LED exterior lighting	The District is requesting to add LED exterior lighting into District Standards to improve the quality of light and promote energy savings
2	SCCD Facilities Dept.	8/20/2014	Lighting	196	26 50 00	T-8 25W interior lighting with 7 years manufacturer warranty	The current District standard only calls for 2x4 fixtures. The District standard is being amended to be more specific. 2'x4' fluorescent fixtures are to be T-8 25 Watt for interior lighting to consolidate inventory (reduce fluorescent tube stocking) and standardize parts for reduced maintenance costs
3	SCCD Facilities Dept.	8/20/2015	Door Hardware	47	n/a	Vertical rods for doors	District wishes to improve door hardware standards by requiring all double doors to have vertical rods; all metal and aluminum storefront doors to have concealed rods, and vertical rods for wood doors.
4	SCCD IT	10/29/2014	Audio Visual	275	27 00 00	AV and Video Conferencing: Utelogy as Districtwide sole source AV software platform.	Utelogy software platform for control and management of audio visual systems and video conferencing/telepresence systems applies Districtwide for smart classrooms, conference and Board rooms, assembly spaces, or any Campus facility where audio visual and/or video conferencing needs are required. Utelogy software platform as a District sole source product allows the District to improve its standards for functionality, ensure compatability with existing systems, increase consistency in use and operation, consolidation of AV and IT resources and ease of technology services and support where AV systems are deployed.
5	SCCD Facilities Dept.	2/4/2015	Mechanical Equipment	157	23 75 00	Acceptable Air Handling Unit Manufacturers	Add GOVERNAIR to the list of District Approved Manufacturers for Custom Units.
6	SCCD Facilities Dept.	12/22/2014	Roofing	N/A	N/A	Roofing	Current District standards are silent with regard to roofing systems. The District wishes to introduce Themoplastic Polyolefin (TPO) Roofing as a District standard for new projects. TPO is the same roofing system used on the Building 600 Renovation.
7	SCCD IT	8/22/2014	Telecomm	272	27 00 00	Telecomm Standards: cabling & cable routing	District standards to be amended to include requirements for the addition of conduit, junction boxes, and backing plates for future "Virtual Classroom" spaces, as directed by the District. Specific Layout of pathways and junction boxes to be on a case by case basis as directed by Campus IT Dept.
8	SCCD IT	8/22/2014	Audio Visual	275	27 00 00	Audio Visual Standards: Future "Virtual Classroom" spaces	District standards to be amended to include requirements for the addition of conduit, junction boxes, and backing plates for future "Virtual Classroom" spaces, with standard room guidelines for location of junction boxes and backing plates. Specific Layout of pathways and junction boxes to be on a case by case basis as directed by Campus IT Dept.
9	SCCD IT	8/22/2014	Telecomm	271 item(J)	27 00 00	Telecomm Standards: Access to IDF/MDF Rooms	District Standards to be amended to require Key-Card access to all IDF/MDF rooms