ADDENDUM TO RFP DOCUMENTS



ADDENDUM #01

Project: #16 - 001 Solano Community College District Buildings 1600, 1800A and 1900 Re-Roofing Project

Date: September 29, 2015

The following clarifications are provided based on questions received or changes in District requirements and must be added/considered when completing your submittal: Acknowledgement of receipt of this <u>ADDENDUM</u> is required in the proposal's cover letter of introduction. Please clearly note the addendum date and number.

ITEM:

ITEM NO. 1 – Bid Date

Revise all references of Bid Date in Contract Documents from October 1, 2015 to October 6, 2015 at 3:00 pm. Location to submit bids shall remain the same.

ITEM NO. 2 – PLAN SHEET A1.0 – Building 1600 Existing Condition & Demolition

Replace 'Plan Sheet A1.0' with attached revised 'Addendum – 1 Plan Sheet A1.0'. Revisions include the following:

- Revised note to include mechanical well area in scope of work.

ITEM NO. 3 – PLAN SHEET A1.1 – Building 1800-A Existing Condition & Demolition

Replace 'Plan Sheet A1.1 with attached revised 'Addendum – 1 Plan Sheet A1.1'. Revisions include the following:

- Revised notes to delete demolition of existing roof in scope of work. Existing roof to remain and be cleared and cleaned to receive new roof overlay.

ITEM NO. 4 – PLAN SHEET A2.0 – Building 1600 New Construction

Replace 'Plan Sheet A2.0' with attached revised 'Addendum – 1 Plan Sheet A2.0'. Revisions include the following:

- Revised noted to include mechanical well area in scope of work.
- Added note to raise attic vents within mechanical well.
- Added note to raise curbs 4" within mechanical well.

- Added note to include new TPO roofing and densdeck (over existing roof) in mechanical well.
- Added note to provide new scuppers and crickets in mechanical well for positive drainage.
- Revised note to include patch and repair of existing stucco for downspouts and added counter-flashing as required.
- Revised note to add densdeck substrate under new TPO roof outside of mechanical well area.
- Revised note to provide 2X support blocking for existing ladders.

ITEM NO. 5 - PLAN SHEET A2.1 - BUILDING 1800-A NEW CONSTRUCTION

Replace 'Plan Sheet A2.1' with attached revised 'Addendum – 1 Plan Sheet A2.1'. Revisions include the following:

- Revised noted to delete demolition of existing roof from scope of work. New TPO roofing to be installed over new densdeck substrate over existing roofing.
- Revised note to add new safety post for access ladder.
- Added note to remove and reinstall cement tiles over new felt and new plywood along one side of mechanical well. Scope to include new coping as noted.

ITEM NO. 6 – PLAN SHEET A2.2 – BUILDING 1900 EXISTING NEW CONSTRUCTION

Replace 'Plan Sheet A2.2' with attached revised 'Addendum – 1 Plan Sheet A2.2'. Revisions include the following:

- Revised noted to delete demolition of existing roof from scope of work. New TPO roofing to be installed over new densdeck substrate over existing roofing.
- Revised note to add densdeck substrate under new TPO roof.
- Added note for relocated roof access hatch location.

ITEM NO. 7 - SECTION 00 41 13 - BID FORM AND PROPOSAL

Replace 'Section 00 41 13 – Bid Form and Proposal' with the attached. Revised bid proposal form itemizes the cost proposal by individual buildings. 10% allowance shall be applied to 'TOTAL BASE BID' and shall be utilized for unforeseen costs associated with any of the three buildings.

ITEM NO. 8 - SECTION 07 53 10 - SINGLE PLY TPO ROOFING

Replace Specification Section '07 53 10 – Single Ply TPO Roofing' provided in original bid set with attached.

ITEM NO. 9 – ANSWERS TO SUBMITTED QUESTIONS

QUESTION - Our package did not include the required "Iran Contracting Act Certification". If this form was left out because the contract value is under \$1 Million, please advise. **ANSWER** - Yes, the "Iran Contracting Act Certification" only applies to projects with a value of \$1,000,000 or greater. "Iran Contracting Act Certification" does not apply to this project.

QUESTION - What is the existing roofing material and what is the specified re-roofing material?

ANSWER - Existing roofing material is 'Built-up' Roof; no actual material could be gathered from as-builts. There was a mandatory bid walk for all potential bidders held on 9/22 at 11:00am (Solano College Fairfield Campus, Building 1900) where existing roofing material were observed. New re-roofing material to be TPO (technical specification can be viewed or obtained by logging on to <u>www.blueprintexpress.com/sccdmeasureq</u>

QUESTION – Will the TPA Single Ply Roof System be able to be considered as an equal alternative to using TPO roofing?

ANSWER – No, the TPA system is a completely different product and will not be considered as a substitute for the use of TPO.

QUESTION - Can you give me the engineers estimate for this project please? **ANSWER** - Engineer's estimate for the project is \$442,000.



	ARCHITECT
LEGEND	MΔDΙ
DETAIL NO SHEET REFERENCE	ARCHITECTURE + PLANNING
07 A1.2	333 FIRST STREET, SUITE C SAN FRANCISCO, CA 94105 303 POTRERO STREET, SUITE 7B SANTA CRUZ, CA 95060
└── DIRECTION OF PHOTO	WWW.MADI-ARCH.COM T I 800.725.0571
NOTE	OWNER
1. PROVIDE PRECAST CONCRETE SPLASH BLOCK AT ALL EXISTING AND NEW DOWNSPOUTS THAT ARE DAYLIGHTED TO PAVEMENT AND LANDSCAPED AREAS. SPLASHBLOCKS TO SLOPE AWAY FROM	
BUILDING. AVOID PLACEMENT OF SPLASH BLOCKS WHERE IT DIRECTLY INTERFERES WITH PATH OF TRAVEL OR POSES A HAZARD. SPLASH BLOCKS TO HAVE MINIMUM DIMENSION OF 20"L X 12"W X	COMMUNITY COLLEGE 4000 SUISUN VALLEY ROAD
3"H. PROVIDE CUT SHEETS AND SAMPLE OF SPLASH BLOCK AS PART OF SUBMITTAL PROCESS.	FAIRFIELD, CA 94534
GENERAL NOTES	E DI
 ALL EXISTING EQUIPMENT ON ROOF TO REMAIN. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING THE INTEGRITY OF ALL EQUIPMENT, 	SOLLEG
 CONTRACTOR IS REQUIRED TO VERIFY ALL EXISTING EQUIPMENT 	TY CC
AND CONDITIONS ON THE ROOF. 3. CONTRACTOR IS REQUIRED TO VERIFY ALL DIMENSIONS	PROFESSIONAL STAMP:
 CONTRACTOR IS REQUIRED TO NOTIFY THE OWNER, ITS REPRESENTATIVE & THE ARCHITECT PRIOR TO DISCONNECTING ANY 	PROFESSIONAL STAMP:
EXISTING EQUIPMENT AND/OR UTILITY LINES. PROVIDE MINIMUM OF 48-HOUR WRITTEN NOTICE PRIOR TO DISCONNECTING.	
5. CONTRACTOR IS RESPONSIBLE FOR STAGING, FENCING AND SECURITY OF ALL MATERIALS AND EQUIPMENT.	★ No. C-7519 11/15 RENEWAL DATE CF CALIFOR A CONTAIN
6. REMOVE EXISTING BUILT UP ROOF TO EXISTING SLOPED PLYWOOD SHEATHING. CLEAN ROOF AND REMOVE ANY DEBRIS, NAILS AND OTHER APPURTENANCES PRIOR TO INSTALLING NEW ROOF.	PROJECT:
7. IT IS THE CONTRACTORS RESPONSIBILITY TO NOTIFY THE OWNER, OWNERS REPRESENTATIVE & ARCHITECT OF ANY EXISTING	RE-ROOFING OF 음 BUILDING 1600 위
DEFORMITIES SUCH AS MOLD, DRY ROT ETC. STRUCTURAL DEFICIENCIES IN EXISTING STRUCTURE REVEALED DURING THE DEMOLITION PHASE WILL NEED TO ADDRESSED BY THE STRUCTURAL	BUILDING 1800-A Ø BUILDING 1900 ♀
ENGINEER AND MAY REQUIRE APPROVAL OF DIVISION OF STATE ARCHITECT (DSA). IN SUCH CASES, CONTRACTOR IS REQUIRED TO PROCEED WITH THAT PORTION OF WORK ONLY AFTER WRITTEN	4000 SUISUN VALLEY ROAD
APPROVAL BY THE STRUCTURAL ENGINEER AND/OR DSA. THIS DETERMINATION WILL BE MADE BY THE ARCHITECT AND ITS ENGINEER AND THE CONTRACTOR WILL BE PROVIDED A WRITTEN	REVISIONS
DIRECTIVE ON REMEDYING THE DEFICIENCY. ANY WORK CARRIED OUT PRIOR TO OR WITHOUT APPROVAL OF ENGINEER OR DSA (AS CASE MAY BE), WILL BE AT RISK. THE OWNER, ITS REPRESENTATIVE	REF DESCRIPTION DATE - - -
AND THE ARCHITECT (AND ITS ENGINEERS) WILL NOT BE RESPONSIBLE FOR ANY COSTS INCURRED FOR NON-COMPLIANT WORK CARRIED OUT WITHOUT THE EXPRESS APPROVAL OF THE	
ENGINEER OR DSA.	OF BL
	PROJECT CODE: SCCD-01
	START DATE: 04.03.15
	CHECKED BY: -
	BUILDING 1600 EXISTING
	CONDITION & DEMOLITION
	DSA APPROVAL STAMP:
ADDENDUM - 1	SHEET NUMBER:
	A1.0
	© 2015



	ARCHITECT
LEGEND	
DETAIL NO SHEET REFERENCE	ARCHITECTURE + PLANNING
(07 A1.2)	333 FIRST STREET, SUITE C SAN FRANCISCO, CA 94105 303 POTRERO STREET, SUITE 7B SANTA CRUZ, CA 95060
└── DIRECTION OF PHOTO	WWW.MADI-ARCH.COM T I 800.725.0571
NOTE	OWNER
1. PROVIDE PRECAST CONCRETE SPLASH BLOCK AT ALL EXISTING AND	
NEW DOWNSPOUTS THAT ARE DAYLIGHTED TO PAVEMENT AND LANDSCAPED AREAS. SPLASHBLOCKS TO SLOPE AWAY FROM BUILDING. AVOID PLACEMENT OF SPLASH BLOCKS WHERE IT	SOLANO
DIRECTLY INTERFERES WITH PATH OF TRAVEL OR POSES A HAZARD. SPLASH BLOCKS TO HAVE MINIMUM DIMENSION OF 20"L X 12"W X	COMMUNITY COLLEGE 4000 SUISUN VALLEY ROAD FAIRFIELD, CA 94534
3"H. PROVIDE CUT SHEETS AND SAMPLE OF SPLASH BLOCK AS PART OF SUBMITTAL PROCESS.	
GENERAL NOTES	
1. ALL EXISTING EQUIPMENT ON ROOF TO REMAIN. CONTRACTOR IS	COLLEG
RESPONSIBLE FOR MAINTAINING THE INTEGRITY OF ALL EQUIPMENT, UTILITY LINES AND OTHER DEVICES EXISTING ON THE ROOF	
2. CONTRACTOR IS REQUIRED TO VERIFY ALL EXISTING EQUIPMENT AND CONDITIONS ON THE ROOF.	
3. CONTRACTOR IS REQUIRED TO VERIFY ALL DIMENSIONS	PROFESSIONAL STAMP:
4. CONTRACTOR IS REQUIRED TO NOTIFY THE OWNER, ITS REPRESENTATIVE & THE ARCHITECT PRIOR TO DISCONNECTING ANY EXISTING EQUIPMENT AND/OR UTILITY LINES. PROVIDE MINIMUM OF 48-HOUR WRITTEN NOTICE PRIOR TO DISCONNECTING.	
5. CONTRACTOR IS RESPONSIBLE FOR STAGING, FENCING AND SECURITY OF ALL MATERIALS AND EQUIPMENT.	★ No. C-7519 <u>11/15</u> RENEWAL DATE
6. REMOVE EXISTING BUILT UP ROOF TO EXISTING SLOPED PLYWOOD SHEATHING. CLEAN ROOF AND REMOVE ANY DEBRIS, NAILS AND OTHER APPURTENANCES PRIOR TO INSTALLING NEW ROOF.	
7. IT IS THE CONTRACTORS RESPONSIBILITY TO NOTIFY THE OWNER, OWNERS REPRESENTATIVE & ARCHITECT OF ANY EXISTING DEFORMITIES SUCH AS MOLD, DRY ROT ETC. STRUCTURAL	RE-ROOFING OF BUILDING 1600
DEFICIENCIES IN EXISTING STRUCTURE REVEALED DURING THE DEMOLITION PHASE WILL NEED TO ADDRESSED BY THE STRUCTURAL	BUILDING 1800-A BUILDING 1900 ↓
ENGINEER AND MAY REQUIRE APPROVAL OF DIVISION OF STATE ARCHITECT (DSA). IN SUCH CASES, CONTRACTOR IS REQUIRED TO PROCEED WITH THAT PORTION OF WORK ONLY AFTER WRITTEN	4000 SUISUN VALLEY ROAD
APPROVAL BY THE STRUCTURAL ENGINEER AND/OR DSA. THIS DETERMINATION WILL BE MADE BY THE ARCHITECT AND ITS ENGINEER AND THE CONTRACTOR WILL BE PROVIDED A WRITTEN	FAIRFIELD, CA 94534
DIRECTIVE ON REMEDYING THE DEFICIENCY. ANY WORK CARRIED OUT PRIOR TO OR WITHOUT APPROVAL OF ENGINEER OR DSA (AS	REF DESCRIPTION DATE - - -
CASE MAY BE), WILL BE AT RISK. THE OWNER, ITS REPRESENTATIVE AND THE ARCHITECT (AND ITS ENGINEERS) WILL NOT BE RESPONSIBLE FOR ANY COSTS INCURRED FOR NON-COMPLIANT	
WORK CARRIED OUT WITHOUT THE EXPRESS APPROVAL OF THE ENGINEER OR DSA.	
	PROJECT CODE: SCCD-01
	DRAWN BY: _
	CHECKED BY: - SHEET NAME:
	BUILDING 1800-A EXISTING
	CONDITION &
	DEMOLITION
	DSA APPROVAL STAMP:
ADDENDUM - 1	
	SHEET NUMBER:
	A1.1
	© 2015

-



		ARCHITECT
-	LEGEND	MADI
	DETAIL NO SHEET REFERENCE	ARCHITECTURE + PLANNING
	DIRECTION OF PHOTO	333 FIRST STREET, SUITE C SAN FRANCISCO, CA 94105 303 POTRERO STREET, SUITE 7B SANTA CRUZ, CA 95060
		WWW.MADI-ARCH.COM T I 800.725.0571
	(N) WALKING PADS	OWNER
	NOTE	
	 PROVIDE PRECAST CONCRETE SPLASH BLOCK AT ALL EXISTING AND NEW DOWNSPOUTS THAT ARE DAYLIGHTED TO PAVEMENT AND LANDSCAPED AREAS. SPLASHBLOCKS TO SLOPE AWAY FROM BUILDING. AVOID PLACEMENT OF SPLASH BLOCKS WHERE IT DIRECTLY INTERFERES WITH PATH OF TRAVEL OR POSES A HAZARD. SPLASH BLOCKS TO HAVE MINIMUM DIMENSION OF 20"L X 12"W X 3"H. PROVIDE CUT SHEETS AND SAMPLE OF SPLASH BLOCK AS PART OF SUBMITTAL PROCESS. 	SOLANO COMMUNITY COLLEGE 4000 SUISUN VALLEY ROAD FAIRFIELD, CA 94534
	GENERAL NOTES	
	1. ALL EXISTING EQUIPMENT ON ROOF TO REMAIN. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING THE INTEGRITY OF ALL EQUIPMENT, UTILITY LINES AND OTHER DEVICES EXISTING ON THE ROOF	
	2. CONTRACTOR IS REQUIRED TO VERIFY ALL EXISTING EQUIPMENT AND CONDITIONS ON THE ROOF.	-
	3. CONTRACTOR IS REQUIRED TO VERIFY ALL DIMENSIONS	PROFESSIONAL STAMP:
PROVIDE DER LADDE	4. CONTRACTOR IS REQUIRED TO NOTIFY THE OWNER, ITS REPRESENTATIVE & THE ARCHITECT PRIOR TO DISCONNECTING ANY EXISTING EQUIPMENT AND/OR UTILITY LINES. PROVIDE MINIMUM OF 48-HOUR WRITTEN NOTICE PRIOR TO DISCONNECTING.	$\begin{array}{c} SED & ARCA \\ SFRANCIS F. \\ CHAN \\ \bigstar & No. C-7519 \\ 11/15 \end{array}$
	5. CONTRACTOR IS RESPONSIBLE FOR STAGING, FENCING AND SECURITY OF ALL MATERIALS AND EQUIPMENT.	11/15 RENEWAL DATE
	6. REMOVE EXISTING BUILT UP ROOF TO EXISTING SLOPED PLYWOOD SHEATHING. CLEAN ROOF AND REMOVE ANY DEBRIS, NAILS AND OTHER APPURTENANCES PRIOR TO INSTALLING NEW ROOF.	PROJECT:
	7. IT IS THE CONTRACTORS RESPONSIBILITY TO NOTIFY THE OWNER, OWNERS REPRESENTATIVE & ARCHITECT OF ANY EXISTING DEFORMITIES SUCH AS MOLD, DRY ROT ETC. STRUCTURAL DEFICIENCIES IN EXISTING STRUCTURE REVEALED DURING THE DEMOLITION PHASE WILL NEED TO ADDRESSED BY THE STRUCTURAL ENGINEER AND MAY REQUIRE APPROVAL OF DIVISION OF STATE ARCHITECT (DSA). IN SUCH CASES, CONTRACTOR IS REQUIRED TO PROCEED WITH THAT PORTION OF WORK ONLY AFTER WRITTEN APPROVAL BY THE STRUCTURAL ENGINEER AND/OR DSA. THIS DETERMINATION WILL BE MADE BY THE ARCHITECT AND ITS ENGINEER AND THE CONTRACTOR WILL BE PROVIDED A WRITTEN DIRECTIVE ON REMEDYING THE DEFICIENCY. ANY WORK CARRIED OUT PRIOR TO OR WITHOUT APPROVAL OF ENGINEER OR DSA (AS CASE MAY BE), WILL BE AT RISK. THE OWNER, ITS REPRESENTATIVE AND THE ARCHITECT (AND ITS ENGINEERS) WILL NOT BE RESPONSIBLE FOR ANY COSTS INCURRED FOR NON-COMPLIANT WORK CARRIED OUT WITHOUT THE EXPRESS APPROVAL OF THE ENGINEER OR DJA.	RE-ROOFING OF BUILDING 1600 BUILDING 1800-A BUILDING 1900 A000 SUISUN VALLEY ROAD FAIRFIELD, CA 94534 REVISIONS REF DESCRIPTION DATE OT OT OT OT OT OT OT OT OT OT OT OT OT OT O
	ADDENDUM - 1	SHEET NUMBER:
		A2.0 © 2015

re-roofing of Buildings 1600, 1800-a & 1900 💮 Solano Communit

COLLEGE DISTRICT



	ARCHITECT
LEGEND DETAIL NO SHEET REFERENCE	ARCHITECTURE + PLANNING
07 A1.2 — DIRECTION OF PHOTO	333 FIRST STREET, SUITE C I SAN FRANCISCO, CA 94105 303 POTRERO STREET, SUITE 7B I SANTA CRUZ, CA 95060 WWW.MADI-ARCH.COM T I 800.725.0571
(N) WALKING PADS	OWNER
 PROVIDE PRECAST CONCRETE SPLASH BLOCK AT ALL EXISTING AND NEW DOWNSPOUTS THAT ARE DAYLIGHTED TO PAVEMENT AND LANDSCAPED AREAS. SPLASHBLOCKS TO SLOPE AWAY FROM BUILDING. AVOID PLACEMENT OF SPLASH BLOCKS WHERE IT DIRECTLY INTERFERES WITH PATH OF TRAVEL OR POSES A HAZARD. SPLASH BLOCKS TO HAVE MINIMUM DIMENSION OF 20"L X 12"W X 3"H. PROVIDE CUT SHEETS AND SAMPLE OF SPLASH BLOCK AS PART OF SUBMITTAL PROCESS. 	CONSULTANT
GENERAL NOTES	GE DI
1. ALL EXISTING EQUIPMENT ON ROOF TO REMAIN. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING THE INTEGRITY OF ALL EQUIPMENT, UTILITY LINES AND OTHER DEVICES EXISTING ON THE ROOF	, COLLE
2. CONTRACTOR IS REQUIRED TO VERIFY ALL EXISTING EQUIPMENT AND CONDITIONS ON THE ROOF.	
 CONTRACTOR IS REQUIRED TO VERIFY ALL DIMENSIONS CONTRACTOR IS REQUIRED TO NOTIFY THE OWNER, ITS REPRESENTATIVE & THE ARCHITECT PRIOR TO DISCONNECTING ANY EXISTING EQUIPMENT AND/OR UTILITY LINES. PROVIDE MINIMUM OF 48-HOUR WRITTEN NOTICE PRIOR TO DISCONNECTING. 	PROFESSIONAL STAMP:
 CONTRACTOR IS RESPONSIBLE FOR STAGING, FENCING AND SECURITY OF ALL MATERIALS AND EQUIPMENT. 	★ No. C-7519 <u>11/15</u> RENEWAL DATE A CALFORNO
6. REMOVE EXISTING BUILT UP ROOF TO EXISTING SLOPED PLYWOOD SHEATHING. CLEAN ROOF AND REMOVE ANY DEBRIS, NAILS AND OTHER APPURTENANCES PRIOR TO INSTALLING NEW ROOF.	PROJECT:
 7. IT IS THE CONTRACTORS RESPONSIBILITY TO NOTIFY THE OWNER, OWNERS REPRESENTATIVE & ARCHITECT OF ANY EXISTING DEFORMITIES SUCH AS MOLD, DRY ROT ETC. STRUCTURAL DEFICIENCIES IN EXISTING STRUCTURE REVEALED DURING THE DEMOLITION PHASE WILL NEED TO ADDRESSED BY THE STRUCTURAL ENGINEER AND MAY REQUIRE APPROVAL OF DIVISION OF STATE ARCHITECT (DSA). IN SUCH CASES, CONTRACTOR IS REQUIRED TO PROCEED WITH THAT PORTION OF WORK ONLY AFTER WRITTEN APPROVAL BY THE STRUCTURAL ENGINEER AND/OR DSA. THIS DETERMINATION WILL BE MADE BY THE ARCHITECT AND ITS ENGINEER AND THE CONTRACTOR WILL BE PROVIDED A WRITTEN DIRECTIVE ON REMEDYING THE DEFICIENCY. ANY WORK CARRIED OUT PRIOR TO OR WITHOUT APPROVAL OF ENGINEER OR DSA (AS CASE MAY BE), WILL BE AT RISK. THE OWNER, ITS REPRESENTATIVE AND THE ARCHITECT (AND ITS ENGINEERS) WILL NOT BE RESPONSIBLE FOR ANY COSTS INCURRED FOR NON-COMPLIANT WORK CARRIED OUT WITHOUT THE EXPRESS APPROVAL OF THE ENGINEER OR DSA. 	RE-ROOFING OF BUILDING 1600 BUILDING 1800-A BUILDING 1900 A000 SUISUN VALLEY ROAD PATE REVISIONS DESCRIPTION DATE H H H H H H
(14) (A8.1)	PROJECT CODE: SCCD-01 START DATE: 04.03.15 DRAWN BY: - CHECKED BY: - SHEET NAME:
	BUILDING 1800-A NEW CONSTRUCTION
ADDENDUM - 1	SHEET NUMBER A2.1



DOCUMENT 00 41 13

BID FORM AND PROPOSAL

To: Governing Board of Solano Community College District ("District" or "Owner")

From:

(Proper Name of Bidder)

The undersigned declares that the Contract Documents including, without limitation, the Notice to Bidders and the Instructions to Bidders have been read and agrees and proposes to furnish all necessary labor, materials, and equipment to perform and furnish all work in accordance with the terms and conditions of the Contract Documents, including, without limitation, the Drawings and Specifications of Bid No. 16-001.

PROJECT: Buildings 1600, 1800A, and 1900 Re-Roofing Project

("Project" or "Contract") and will accept in full payment for that Work the following total lump sum amount, all taxes included:

Bldg 1600	_dollars	\$
Bldg 1800A	_dollars	\$
Bldg 1900	_dollars	\$
TOTAL BASE BID	dollars	\$

1. <u>Allowance.</u> The Bidder's Base Bid and each alternate shall include a ten percent (10%) allowance for unforeseen items.

The above allowance shall only be allocated for unforeseen items relating to the Work. Contractor shall not bill for or be due any portion of this allowance unless the District has identified specific work, Contractor has submitted a price for that work or the District has proposed a price for that work, the District has accepted the cost for that work, and the District has prepared a change order incorporating that work. Contractor hereby authorizes the District to execute a unilateral deductive change order at or near the end of the Project for all or any portion of the allowance not allocated.

2. The undersigned has reviewed the Work outlined in the Contract Documents and fully understands the scope of Work required in this Proposal, understands the construction and project management function(s) is described in the Contract Documents, and that each Bidder who is awarded a contract shall be in fact a prime contractor, not a subcontractor, to the District, and agrees that its Proposal, if

SOLANO COMMUNITY COLLEGE DISTRICT

BID FORM AND PROPOSAL DOCUMENT 00 41 13-1 accepted by the District, will be the basis for the Bidder to enter into a contract with the District in accordance with the intent of the Contract Documents.

- 3. The undersigned has notified the District in writing of any discrepancies or omissions or of any doubt, questions, or ambiguities about the meaning of any of the Contract Documents, and has contacted the Construction Manager before bid date to verify the issuance of any clarifying Addenda.
- 4. The undersigned agrees to commence work under this Contract on the date established in the Contract Documents and to complete all work within the time specified in the Contract Documents.
- 5. The liquidated damages clause of the General Conditions and Agreement is hereby acknowledged.
- 6. It is understood that the District reserves the right to reject this bid and that the bid shall remain open to acceptance and is irrevocable for a period of ninety (90) days.
- 7. The following documents are attached hereto:
 - Bid Bond on the District's form or other security
 - Designated Subcontractors List
 - Site-Visit Certification
 - Noncollusion Declaration
- 8. Receipt and acceptance of the following addenda is hereby acknowledged:

No, Dated	No, Dated
No, Dated	No, Dated
No, Dated	No, Dated

- 9. Bidder acknowledges that the license required for performance of the Work is a <u>C39</u>, <u>B</u> license.
- 10. The undersigned hereby certifies that Bidder is able to furnish labor that can work in harmony with all other elements of labor employed or to be employed on the Work.
- 11. Bidder specifically acknowledges and understands that if it is awarded the Contract, that it shall perform the Work of the Project while complying with all requirements of the Department of Industrial Relations [and with all requirements of the Project Labor Agreement].
- 12. The Bidder represents that it is competent, knowledgeable, and has special skills with respect to the nature, extent, and inherent conditions of the Work to be performed. Bidder further acknowledges that there are certain peculiar and inherent

SOLANO COMMUNITY COLLEGE DISTRICT

conditions existent in the construction of the Work that may create, during the Work, unusual or peculiar unsafe conditions hazardous to persons and property.

- 13. Bidder expressly acknowledges that it is aware of such peculiar risks and that it has the skill and experience to foresee and to adopt protective measures to adequately and safely perform the Work with respect to such hazards.
- 14. Bidder expressly acknowledges that it is aware that if a false claim is knowingly submitted (as the terms "claim" and "knowingly" are defined in the California False Claims Act, Cal. Gov. Code, §12650 et seq.), the District will be entitled to civil remedies set forth in the California False Claim Act. It may also be considered fraud and the Contractor may be subject to criminal prosecution.
- 15. The undersigned Bidder certifies that it is, at the time of bidding, and shall be throughout the period of the contract, licensed by the State of California to do the type of work required under the terms of the Contract Documents and registered as a public works contractor with the Department of Industrial Relations. Bidder further certifies that it is regularly engaged in the general class and type of work called for in the Contract Documents.

Furthermore, Bidder hereby certifies to the District that all representations, certifications, and statements made by Bidder, as set forth in this bid form, are true and correct and are made under penalty of perjury.

Dated this	_day of		20
Name of Bidder			
Type of Organization			
Signed by			
Title of Signer			
Address of Bidder			
Taxpayer's Identification No	. of Bidder		
Telephone Number			
Fax Number			
E-mail		_ Web page	
Contractor's License No(s):	No.:	_ Class:	Expiration Date:
	No.:	_ Class:	Expiration Date:
	No.:	_ Class:	_ Expiration Date:

BID FORM AND PROPOSAL DOCUMENT 00 41 13-3

END OF DOCUMENT